DESIGN DATA

1966 Design Data Cross-Index

	Issue	Page
Area of a Frustum of a Cone, Nomogram for	Mar. 30	120
Area and Volume, Surface, Nomogram for Regular Polyhedrons	Mar. 16	100
Areas, Composite, Graphical Method of Finding Centroids of	Sept. 29	74
Beam, Cantilever Arc, with Out-of-Plane Loading—Part III	Oct. 26	78
Beam, Cantilever Arc, with Out-of-Plane Loading—Part IV	Nov. 9	120
Beam, Cantilever Arc, with Uniformly Distributed Loads—Part V	Nov. 23	74
Beam Column Magnification Factors	Sept. 1	84
Beams, Bending Vibration of	July 20	108
Beams, Deflections of	Dec. 7	119
Bellows Design, Welded Diaphragm Metal, Nomograms and Charts for	Oct. 26	70
Bending Vibration of Beams	July 20	108
Bends in Sheet Material, Developed Length of	Dec. 7	116
Cam Curve Synthesis	Sept. 15	156
Cams, Exact Pressure Angles for, with Fixed Parameters	May 11	114
Cantilever Arc Beam with Out-of-Plane Loading—Part III	Oct. 26	78
Cantilever Arc Beam with Out-of-Plane Loading—Part IV	Nov. 9	120
Cantilever Arc Beam with Uniformly Distributed Loads—Part V	Nov. 23	74
Centigrade and Fahrenheit	Sept. 15	162
Centroids of Composite Areas, Graphical Method of Finding	Sept. 29	74
Circle and a Hexagon, Fitting Circles into a	Mar. 2	96
Circular Shafts, Hollow, Optimizing the Design of	Aug. 18	92
Column, Beam, Magnification Factors	Sept. 1	84
Columbium, Tantalum, Molybdenum and Tungsten	July 6	98
Composite Areas, Centroids of, Graphical Methods of Finding	Sept. 29	74
Cone, Nomogram for Area of a Frustum of a	Mar. 30	120
Cones, Truncated, Polar Inertia of	May 25	114
Cones with Rounded Tips	Feb. 16	112
Constructing Nomograms for Equations with Exponential Factors	Mar. 16	102
Construction, Direct, of Nomograms	Oct. 12	140
Conversion, Flow, Nomogram, Standard to Nonstandard Conditions	Aug. 4	96
Corrosion Resistance of Sintered Metals	Mar. 30	122
Cubic Inches and Cubic Centimeters	May 25	112
Deflections of Beams	Dec. 7	119
Design Charts, Torsion-Spring	June 22	94
Developed Length of Bends in Sheet Material	Dec. 7	116
Differences, Small, Can Lead to Big Errors	June 8	140
Direct Construction of Nomograms	Oct. 12	140
Discharge, Given, Pipe Size Required for a, and Permissible Pressure Drop	Apr. 27	204
Discharge through Fluid Meters	Sept. 29	78
Drill, Tap, Size Nomogram	Dec. 21	44
Elbows, Stress in	Nov. 23	72
Equations with Exponential Factors, Constructing Nomograms for	Mar. 16	102
Errors, Big, Small Differences Can Lead to	June 8	140
Exact Pressure Angles for Cams with Fixed Parameters	May 11	114
Exponential Factors, Constructing Nomograms for Equations with	Mar. 16	102
Factors Affecting Piston Design	Jan. 19	106
Factors, Exponential, Constructing Nomograms for Equations with	Mar. 16	102
Fahrenheit and Centigrade	Sept. 15	162
Fitting Circles into a Circle and a Hexagon	Mar. 2	96
Flow Conversion Nomogram, Standard to Nonstandard Conditions	Aug. 4	96
Flow Losses in Smooth-Bore Tubing	Jan. 19	110
Fluid Meters, Discharge through	Sept. 29	78
Frustum of a Cone, Nomogram for Area of a	Mar. 30	120
Functions, Indeterminable, Integration Procedures Adaptable to	Aug. 4	92
Grams and Pounds	Apr. 27	210
Graphical Method of Finding Centroids of Composite Areas	Sept. 29	74
Hexagon, Fitting Circles into a Circle and a	Mar. 2	96
Inches and Millimeters	Apr. 13	106
Indeterminable Functions, Integration Procedures Adaptable to	Aug. 4	92
Inertia, Polar, of Truncated Cones	May 25	114
Integration Procedures Adaptable to Indeterminable Functions	Aug. 4	92
Kg/Sq Cm and PSI	July 6	96
Kinematic Viscosity of Various Liquids, Nomograms for Calculating	Oct. 12	146
Latch or Similar Part, Nomogram for Response of a	Feb. 2	102

(Continued on next page)

For Free Reprints of the Above Article, Circle K12 on Reader-Service Card.

From Drawing Kits thru Drafting Tables—

Professional Drawing Kit — 7803-C Master — V-Model Table With Footrest

Whatever your needs in drawing equipment Mayline has a product for you. •Professional drawing kits are portable and have attached parallel ruling straightedges. •Small tables for office or home use. •4-Post and adjustable May-O-Matic and Desk-O-Matic tables for larger and more detailed drawings. Your local art, office supply, or blueprint dealer has size, price, and delivery for you.

4-Post Table

May-O-Matic Table

MAYLINE

professional drafting equipment

MAYLINE COMPANY, INC.

529 N. Commerce St. • Sheboygan, Wis.

Circle Service No. 49

SHOCK ABSORBERS FOR HIGH-SPEED EQUIPMENT



- *increase production*
- *reduce maintenance*
- *cushion loads*
- *prolong life*

ADJUST-A-SHOCK* is an adjustable hydraulic decelerator that provides precise deceleration of loads. The adjustable feature eliminates custom engineering and expensive alterations when loads or speed change.

Available in ¾", 1⅛", 1½" and 3" bores, each in three stroke lengths. Single or double rod end and foot, flange, or clevis mountings. Self-contained spring return and air return models available.

Ask for latest, free ADJUST-A-SHOCK Bulletin

ACE controls inc.

P.O. BOX 71, FARMINGTON, MICHIGAN 48024

Telephone: (313) 476-0213

*Pat. No. 3,168,168

Circle Service No. 50

Data Index . . . Cont.

	Issue	Page
Length of Bends in Sheet Material, Developed	Dec. 7	116
Liquids, Various, Nomograms for Calculating the Kinematic Viscosity of	Oct. 12	146
Magnification Factors, Beam Column	Sept. 1	84
Mercury Column to PSI, Nomogram Relates	Dec. 21	46
Metal Bellows Design, Welded Diaphragm, Nomograms and Charts for	Oct. 26	70
Metals, Tensile Yield Strength of	Feb. 16	116
Meters, Fluid, Discharge through	Sept. 29	78
Millimeters and Inches	Apr. 13	106
Molybdenum, Tungsten, Columbium and Tantalum	July 6	98
Nomogram for Area of a Frustum of a Cone	Mar. 30	120
Nomogram, Flow Conversion, Standard to Nonstandard Conditions	Aug. 4	96
Nomogram for Response of a Latch or Similar Part	Feb. 2	102
Nomogram Relates Hg Column to PSI	Dec. 21	46
Nomogram Solution for Regular Polygons	Dec. 7	124
Nomogram, Surface Area and Volume, for Regular Polyhedrons	Mar. 16	100
Nomogram, Tap Drill Size	Dec. 21	44
Nomograms and Charts for Welded Diaphragm Metal Bellows Design	Oct. 26	70
Nomograms, Direct Construction of	Oct. 12	140
Nomograms for Calculating the Kinematic Viscosity of Various Liquids	Oct. 12	146
Nomograms for Equations with Exponential Factors, Constructing	Mar. 16	102
Nonstandard Conditions, Standard to, A Flow Conversion Nomogram	Aug. 4	96
Ogive, Properties of the	June 8	144
Optimizing the Design of Hollow Circular Shafts	Aug. 18	92
Out-of-Plane Loading, Cantilever Arc Beam with—Part III	Oct. 26	78
Out-of-Plane Loading, Cantilever Arc Beam with—Part IV	Nov. 9	120
PSI and Kg/Sq Cm	July 6	96
PSI, Nomogram Relates Hg Column to	Dec. 21	46
Parameters, Fixed, Exact Pressure Angles for Cams with	May 11	114
Pipe Size Required for a Given Discharge and Permissible Pressure Drop	Apr. 27	204
Piston Design, Factors Affecting	Jan. 19	106
Plastic Materials, Common, Stiffness versus Thickness for	Feb. 2	106
Polar Inertia of Truncated Cones	May 25	114
Polygons, Regular, Nomogram Solution for	Dec. 7	124

more torque— size for size

another unique margin of formsprag difference in clutches

Formsprag clutches deliver more torque per inch, per ounce than you can get anywhere else. Over-running clutches deliver up to 240,000 lbs. ft. of torque in an absolute minimum of space because modern power transmission design demands it. And they've been proven year after year . . . in thousands of applications . . . and in Formsprag laboratory tests as well. Size for size, torque for torque, Formsprag clutches have no equal.

Formsprag clutches are the modern, efficient way to transmit power in industrial over-running, indexing and back-stopping (holdback) applications. There are 28 sizes and six series to meet virtually every design specification, with torque capacity from 240,000 lbs. ft. all the way down to 4½



lbs. ft., with bore sizes from 13.500 inches to .250 inches.

Dynamic Formsprag clutches are powerful and compact. In addition to the highest possible torque capacity for their size and weight, Formsprag clutches also provide internal simplicity, no measurable backlash, and rugged, durable construction for long trouble-free service. They're strong with muscle to spare.

More torque—size for size—most certainly another unique margin of Formsprag difference in clutches.

FORMSPRAG
Warren, Michigan

For proof, we invite you to write for the new Formsprag **clutch application kit.** It contains specification data on many clutches, and the 1966 Over-Running Clutch Application Manual.

Sales in Foreign Countries by Renolds Chains, Ltd., England

over-running clutches what-why-how-where

The Formsprag over-running (free-wheeling) clutch is an automatic device for transmitting torque from input to output in one direction only. It releases when input rotation is reversed or when output overspeeds the input in the drive direction. There are three basic types of applications for which over-running clutches are intended: Over-running, Indexing and Holdback or Backstopping.

Circle Service No. 51

	Issue	Page
Polyhedrons, Regular, Surface Area and Volume Nomogram for	Mar. 16	100
Pounds and Grams	Apr. 27	210
Pressure Angles, Exact, for Cams with Fixed Parameters	May 11	114
Pressure Drop, Permissible, Pipe Size Required for a Given Discharge and	Apr. 27	204
Properties of the Ogive	June 8	144
Rapid Solution of Triangles Given Two Angles and a Side	Apr. 13	102
Regular Polygons, Nomogram Solution for	Dec. 7	124
Residual Stresses	Jan. 5	78
Shafts, Hollow Circular, Optimizing the Design of	Aug. 18	92
Sheet Material, Developed Length of Bends in	Dec. 7	116
Simplified Spring Design	Oct. 12	149
Sintered Metals, Corrosion Resistance of	Mar. 30	122
Small Differences Can Lead to Big Errors	June 8	140
Solution for Regular Polygons, Nomogram	Dec. 7	124
Spring Design, Simplified	Oct 12	149
Spring, Torsion, Design Charts	June 22	94
Standard to Nonstandard Conditions—A Flow Conversion Nomogram	Aug. 4	96
Steel Tubing, Welded	Nov. 9	116
Stiffness versus Thickness for Common Plastic Materials	Feb. 2	106
Stress in Elbows	Nov. 23	72
Stresses, Residual	Jan. 5	78
Surface Area and Volume Nomogram for Regular Polyhedrons	Mar. 16	100
Synthesis, Cam Curve	Sept. 15	156
Tantalum, Molybdenum, Tungsten, and Columbium	July 6	98
Tap Drill Size Nomogram	Dec. 21	44
Tensile Yield Strength of Metals	Feb. 16	116
Thickness, versus Stiffness, for Common Plastic Materials	Feb. 2	106
Torsion-Spring Design Charts	June 22	94
Triangles, Rapid Solution of, Given Two Angles and a Side	Apr. 13	102
Truncated Cones, Polar Inertia of	May 25	114
Tubing, Smooth-Bore, Flow Losses in	Jan. 19	110
Tubing, Welded Steel	Nov. 9	116
Tungsten, Columbium, Tantalum and Molybdenum	July 6	98
Vibration, Bending, of Beams	July 20	108
Viscosity, Kinematic, Nomograms for Calculating, of Various Liquids	Oct. 12	146
Welded Diaphragm Metal Bellows Design, Nomograms and Charts for	Oct. 26	70
Welded Steel Tubing	Nov. 9	116